

Stocked Spring Assemblies



Helwig Carbon Products, Inc. is proud to offer, in stock, some popular OEM spring assemblies that are ready to ship direct to your door. We manufacture hundreds of different kinds of springs which can be shipped in 3 days or less if a rush order is requested.

For orders and inquires, please contact the Special Products Division at:

Phone: 888-698-6169
 Fax: 888-698-6092
 E-mail: brushholder@helwigcp.com

Foreign

ABB

AB: 0.8#
 HCPI #: AB.083125.1.05
 SPRING: \varnothing 0.312" X 0.25" W
 DIMS: 1.40" L X 0.625" W X 0.031" T

AB: 1.0#
 HCPI #: AB.103725.1.01
 SPRING: \varnothing 0.375" X 0.25" W
 DIMS: 1.25" L X 0.60" W X 0.031" T

AB-52: 1.5#
 HCPI #: AB.153715.1.01
 SPRING: \varnothing 0." X 0.625" W
 DIMS: 1.50" L X 0.625" W X 0.031" T

Siemens


SI-11; SI-13; SI-17
 LBS: 0.6#, 1.1#
 SPRING: \varnothing Various" X 0.25" W
 DIMS: 1.09" L X 0.45" W X 0.031" T


SI-11; SI-13; SI-17
 HCPI #'s: SI.062525.1.01;
 SI.113125.1.01; SI.114625.1.01

SI-12: 2.25#
 HCPI #: SI.226237.1.01
 SPRING: \varnothing 0.625" X 0.375" W
 DIMS: 1.30" L X 0.61" W X 0.031" T

Toshiba

TS-14: 6.0#
 HCPI #: TS.608775.1.01
 SPRING: \varnothing 0.875" X 0.75" W
 DIMS: 3.33" L X 0.866" W X 0.042" T





Other OEM Clips

A.O. Smith	
<p>AO-4: 1.1# HCPI #: AO.113125.1.01 SPRING: \varnothing 0.312" X 0.25" W DIMS: 1.62" L X 0.47" W X 0.031" T</p>	<p>AO-6: 2.0# HCPI #: AO.203750.1.02 SPRING: \varnothing 0.375" X 0.50" W DIMS: 2.15" L X 0.75" W X 0.042" T</p>

Westinghouse
<p>WE-5: 1.5# HCPI #: WE.153737.1.01 SPRING: \varnothing 0.375" X 0.375" W DIMS: 2.0" L X 0.625" W X 0.040" T</p>

Reliance	
<p>RE-68: 2.0# HCPI #: RE.204337.1.01 SPRING: \varnothing 0.437" X 0.375" W DIMS: 1.97" L X 0.625" W X 0.031" T</p>	<p>RELIANCE 609 SERIES LBS #: 6.0#, 7.0#; 8.0# SPRING: \varnothing Various X 0.625" W DIMS: 3.13" L X 0.75" W X 0.040" T</p> <p>HCPI #'s: 01.605062.1.02; 01.706862.2.01; 01.806862.2.11</p>


<p>WE-8: 2.0# HCPI #: WE.203725.1.01 SPRING: \varnothing 0.375 X 0.25" W DIMS: 2.7" L X 0.625" W X 0.042" T</p>
--


U.S. Motors	
<p>US-2: 1.5# HCPI #: US.153737.1.01 SPRING: \varnothing 0.375" X 0.375" W DIMS: 1.6" L X 0.563" W X 0.031" T</p>	<p>US-6: 6.0# HCPI #: US.607562.1.01 SPRING: \varnothing 0.75" X 0.625" W DIMS: 3.33" L X 1.00" W X 0.040" T</p>

<p>WE-11A: 3.0# HCPI #: WE.304062.1.02 SPRING: \varnothing 0.40" X 0.625" W DIMS: 2.7" L X 1.00" W X 0.040" T</p>
<p>WE-13: 4.25# HCPI #: WE.425562.1.01 SPRING: \varnothing 0.55" X 0.625" W</p>

Emerson	P&H
<p>EN-6: 4.0# HCPI #: EN.408543.1.01 SPRING: \varnothing 0.85" X 0.437" W DIMS: 2.6" L X 0.63" W X 0.03" T</p>	<p>PH-3: 2.5# HCPI #: PH.253725.1.01 SPRING: \varnothing 0.875" X 0.25" W DIMS: 2.28" L X 0.50" W X 0.031" T</p>

<p>WE-103: 9.0# HCPI #: WE.901062.6.01 SPRING: \varnothing 1.00" X 0.625" W DIMS: 3.13" L X 0.75" W X 0.04" T</p>
--







Elevator

Imperial		
<p>IM-1: 1.0# HCPI #: IM.103737.1.01 SPRING: \varnothing 0.375" X 0.375" W DIMS: 1.83" L X 1.00" W X 0.040" T</p>		
<p>IM-5: 2.0# HCPI #: IM.203725.1.01 SPRING: \varnothing 0.375" X 0.25" W DIMS: 1.61" L X 0.594" W X 0.031" T</p>	<p>IM-2: 2.3# HCPI #: IM.233775.1.01 SPRING: \varnothing 0.375" X 0.375" W DIMS: 1.83" L X 1.00" W X 0.040" T</p>	<p>IM-4: 3.0# HCPI #: IM.304062.1.01 SPRING: \varnothing 0.400" X 0.625" W DIMS: 1.83" L X 1.00" W X 0.040" T</p>

Imperial	Dover	
<p>IM-6: 2.0# LBS: IM.203262.1.01 SPRING: \varnothing 0.325" X 0.625" W DIMS: 1.83" L X 1.00" W X 0.040" T</p>	<p>DV-1: 3.5# HCPI #: DV.355062.1.01 SPRING: \varnothing 0.500" X 0.625" W DIMS: 2.50" L X 1.00" W X 0.040" T</p>	<p>DV-3: 2.5# HCPI #: DV.255050.1.02 SPRING: \varnothing 0.50" X 0.50" W DIMS: 2.50" L X 1.00" W X 0.040" T</p>

Leroy-Somer		Otis
<p>LC-CLIPS: LBS: 1.0# to 4.0# SPRING: \varnothing 0.68" X 0.625" W DIMS: Various</p>	<p>LR-3: 1.0# HCPI #: LR.105025.1.02 SPRING: \varnothing 0.50" X 0.25" W DIMS: 2.21" L X 1.30" W X 0.042" T</p>	<p>OT-1: 3.0# HCPI #: OT.304062.1.01 SPRING: \varnothing 0.40" X 0.625" W DIMS: 2.69" L X 0.75" W X 0.031" T</p>





Elevator

General Electric

GE-44: 4.0#

HCPI #: GE.407550.1.01
 SPRING: \varnothing 0.625" X 0.375" W
 DIMS: 2.20" L X 0.70" W X 0.031" T

GE-50: 2.2#

HCPI #: GE.226237.1.02
 SPRING: \varnothing 0.625" X 0.375" W
 DIMS: 1.59" L X 0.58" W X 0.020" T

GE-86: 4.5#

HCPI #: GE.457550.1.02
 SPRING: \varnothing 0.75" X 0.75" W
 DIMS: 2.34" L X 0.625" W X 0.042" T

General Electric

GE-81; GE-82; GE-83

LBS: 6.0 #; 7.0#, & 8.0#
 SPRING: \varnothing Various X 0.625" W
 DIMS: 3.13" L X 0.75" W X 0.040" T

HCPI #'s: GE.606262.2.04;
 GE.706862.2.04; GE.808162.1.03

GE-81W; GE-82W; GE-83W

LBS: 6.0 #; 7.0#, & 8.0#
 SPRING: \varnothing Various X 0.625" W
 DIMS: 3.13" L X 0.75" W X 0.040" T

HCPI #'s: GE.606262.6.03;
 GE.706862.6.03; GE.808162.5.01

GE-83H: 8.0#

HCPI #: GE.806862.2.03
 SPRING: \varnothing 0.68" X 0.625" W
 DIMS: 3.74" L X 0.75" W X 0.040" T

General Electric

GE-138: 8.0#

LBS: GE.801050.2.01
 SPRING: \varnothing 1.00" X 0.50" W
 DIMS: 3.78" L X 0.687" W X 0.042" T

GE-11W: 6.0#

HCPI #: GE.601050.5.01
 SPRING: \varnothing 1.00" X 0.50" W
 DIMS: 3.78" L X 0.687" W X 0.042" T

GE-10: 2.5#

HCPI #: GE.257550.1.01
 SPRING: \varnothing 0.75" X 0.50" W
 DIMS: 3.71" L X 0.75" W X 0.050" T

